

# triv™ lx



nuna®



# Thank you!

You've just purchased a Nuna product, and you can be sure that your child is getting the best there is. Our products are expertly engineered for safety, with luxury fabrics and sophisticated style. Whatever made you fall in love with Nuna, rest assured your adventures with your little one will be easier from now on, freeing you to enjoy more happy family moments together.



**IMPORTANT!  
KEEP THESE  
INSTRUCTIONS FOR  
FUTURE REFERENCE:  
*READ CAREFULLY***

## Contents

<b>Product Information</b>	4
Product Registration (US consumers only)	
Limited Warranty	
Contact	
<b>Child Usage Requirements</b>	5
<b>Warnings</b>	6
<b>Parts List</b>	10
<b>Product Setup</b>	12
<b>Product Use</b>	18
<b>Accessories</b>	28
<b>Cleaning and Maintenance</b>	30

## Product Information

Model Number: \_\_\_\_\_

Manufactured in (date): \_\_\_\_\_

### Product Registration

(For US consumers only)

Please fill in the above information. The model number and the manufactured in date are located on a label on the stroller frame. Fill out the prepaid registration postcard attached to the product and mail it today.

To register your product, please visit:

[www.nunababy.com](http://www.nunababy.com)

Click on the “Register Gear” link on the homepage.

### Limited Warranty

We have purposely designed our high-quality products so that they can grow with both your child and your family. Because we stand by our product, our gear is covered by a custom limited warranty per product, starting from the day it was purchased. Please have the proof of purchase, model number and manufactured in date available when you contact us.

For warranty information please visit:

[www.nunababy.com/warranty](http://www.nunababy.com/warranty)

## Contact

For replacement parts, service, or additional warranty questions, please contact our customer service department.

**In the USA:**

[infousa@nunababy.com](mailto:infousa@nunababy.com)

[www.nunababy.com](http://www.nunababy.com)

1.855.NUNA.USA

**In Canada:**

Nuna Canada

2520 AV Marie-Curie

St-Laurent, QC, H4S 1N1

1-800-667-4111

[www.nunababy.ca](http://www.nunababy.ca)

## Child Usage Requirements

This stroller is suitable for use with children who meet the following requirements:

**Weight:** up to 50 lb maximum (22.7 kg)

**Height:** up to 45 inches (114.3 cm)

When using the stroller frame with a PIPA™ series infant carrier and TRIV™ bassinet, refer to the child usage requirements listed in the instruction manual.

# ⚠️ WARNING

Failure to follow these warnings and instructions could result in serious injury or death.

A child's safety is your responsibility. **NEVER** leave your child unattended.

To avoid any danger of suffocation, remove all plastic covers before using the stroller and destroy or keep away from babies and children!

Keep small parts away from children as they pose a choking hazard.

Discontinue using the stroller if it becomes damaged or broken.

**DO NOT** make any changes or modifications to the stroller that are not specified in this manual.

Use original Nuna parts and accessories only.

Overloading, incorrect folding, and using accessories other than those approved by Nuna, e.g. child seats, bag hooks, rain covers, buggy boards, etc., may damage or make the stroller unsafe.

Use of the stroller with a child weighing more than 50 lb (22.7 kg) or taller than 45 inches (114.3 cm) in height will cause excessive wear and stress on the stroller, and could create an unstable condition. Use the stroller with only one child at a time.

To prevent a hazardous, unstable condition, do not place more than 22 lb (10 kg) in storage basket and never place purses, shopping bags, parcels, cup holders, sling bag, stroller organizer, or other items on the handle or canopy. To prevent a hazardous, unstable condition, do not place more than 1 lb (0.5 kg) in the storage pocket on the back of the seat.

**DO NOT** use storage basket as a child carrier.

Avoid serious injury from falling or sliding out. **ALWAYS** use seat belt. After fastening buckles, adjust belts to get a snug fit around your child.

**AVOID FINGER ENTRAPMENT** Use care when folding and unfolding the stroller. Be certain the stroller is fully erected and locked before allowing your child near the stroller.

**STRANGULATION HAZARD** Do not place items with a string around your child's neck, suspend strings from the stroller, or attach strings to toys.

**DO NOT** let your child play with the stroller.

**ALWAYS** keep your child in view while in the stroller.

**NEVER** allow your child to stand on the stroller.

**ALWAYS** check that the attachments are correctly engaged before use.

The parking brake **MUST** be engaged when the stroller is stopped and when placing and removing child.

Negotiate curbs and rough ground carefully. Repeated impact could cause damage to the stroller.

The stroller is to be used only at walking speed and is not intended for use while jogging, skating, etc.

**NEVER** use the stroller on stairs or escalators. You may suddenly lose control of the stroller or your child may fall out.

The stroller does not replace a crib or a bed. Should your child need to sleep, they should be placed in a crib or sleeping area based on your child's requirements.

**ALWAYS** allow the fabric to dry naturally away from direct heat.

**DO NOT** leave the stroller exposed in the vicinity of a strong source of heat, i.e. a radiator or open fire, or store the stroller in a damp place.

**Child may slip into leg openings and strangle.**  
NEVER use in reclined carriage position unless the calf support is raised to cover the front opening and the fabric flaps are snapped to the side of the stroller seat frame and stroller seat pad.

**Magnetic Harness Buckle:** The buckle and buckle clips contain magnets. If your child has a medical condition that prohibits the use of magnets near the child, do not use the stroller. Contact Nuna to discuss a solution.


Be mindful of the possible interaction of magnets in buckles and certain electronic devices.

## NOTES

# Parts List

Make sure all parts are available before assembly.  
If any part is missing, please contact Nuna (see page 5 for information). No tools are required for assembly.

- |                                   |                              |
|-----------------------------------|------------------------------|
| 1 Front Wheel (x2)                | 16 Handle Adjustment Button  |
| 2 Rear Wheel (x2)                 | 17 Brake Lever               |
| 3 Insert                          | 18 Tracking Device Pocket    |
| 4 Canopy                          | 19 Folding Webbing           |
| 5 Seat Pad                        | 20 Storage Pocket            |
| 6 Arm bar                         | 21 Folding Release Button    |
| 7 Calf Support                    | 22 Recline Adjustment Button |
| 8 Swivel Lock                     | 23 Canopy Window             |
| 9 Storage Basket                  | 24 Adapter Release Button    |
| 10 Calf Support Adjustment Button | 25 Car Seat Ring Adapter     |
| 11 Stroller Frame                 | 26 Adapter Fold Strap        |
| 12 Seat Release Button            |                              |
| 13 Buckle                         |                              |
| 14 Shoulder Harness Pad           |                              |
| 15 Handle                         |                              |



# Product Setup

## Open Stroller

- 1 - Take the stroller frame out.
- 2 - Rotate the handle up to open the stroller frame.
- 3 - Pull the seat to open it.

A “click” sound means the seat is open.

Check that the stroller is completely latched open before continuing.

## Switch Seat





Please switch seat if you desire.

- 4 - Press the seat release buttons (1) and lift the seat up (2).
- 5 - Reverse the seat, and then attach it to the frame.

A “click” sound means the seat is attached completely.

## Basket

- 6 - Hook the basket to the rear legs on the both sides.



## Front Wheels

- 1** - Insert the front wheel onto the front leg.

A “click” sound means the front wheel is assembled completely.

Check the wheel is securely attached by pulling out.  
Repeat on opposite side.

- 2** - To remove the front wheel, press the release button (1) and detach the front wheel from the front leg (2).





## Rear Wheels

- 3** - Insert the rear wheel into the rear leg.

A “click” sound means the rear wheel is assembled completely.

Check that the wheel is securely attached by pulling out.  
Repeat on opposite side.

- 4** - To remove the rear wheel, press the release button (1) and detach the rear wheel from the rear leg (2).



## Arm bar

**⚠** The arm bar is not a restraint device. Always secure the child with the harness.

**1** - Align the arm bar ends with the arm bar mounts, and insert until it clicks into place.

A “click” sound means the arm bar is assembled completely.

**2** - To remove the arm bar, press the arm bar release buttons **(1)** and remove the arm bar **(2)**.




**3** - To rotating the arm bar, locate the arm bar release button on either inner side of the arm bar. While pressing the release button **(1)**, rotate the arm bar **(2)**.

## Insert

**4** - To assemble the insert, place the insert over the seat pad and thread the shoulder, waist and crotch harness straps through their respective slots.

### Check Setup

- Stroller frame is fully open and locked.
- Rear and front wheels are securely attached.
- Arm bar is securely attached.



# Product Use

## Securing Your Child

**1** - Push the top button on the buckle **(1)** to release the buckle latch and remove the magnetic clips **(2)**. Place your child in the stroller.

**2** - Insert the magnetic clips into the buckle.

Fit the harness snugly to your child by pulling the shoulder adjustment straps to tighten **(1)**. Then pull the waist adjustment straps out **(2)**.

## Shoulder Harness Position

**3** - The upper shoulder harness buckles can be moved up and down for added adjustment.






**!** To avoid serious injury from falling or sliding out, always secure your child with the harness.

Make sure the harness is adjusted properly and your child is snugly secured. The space between the child and the shoulder harness should be about the thickness of one finger.

**DO NOT** cross the shoulder belts. This will cause pressure on child's neck.

## Shoulder Harness Cover and Crotch Harness Cover

**4** - The shoulder harness cover and crotch harness cover can be removed from the webbing.



## Canopy

- 1 - To open the canopy, pull the canopy toward the front of the seat, and to fold, push it back.
- 2 - Open the zipper on the canopy for extra shade.
- 3 - For added ventilation, flip the canopy window cover up.

## Recline






There are 4 recline positions for the backrest.

- 4 - To raise or lower the backrest, lift the recline adjustment button (1), and move the backrest up or down (2).

- ⚠** Please do not press the button (3) in the middle of the recline adjustment button when adjusting the angle for the recline.  
Make sure the recline is adjusted properly for use.

## Tracking Device Pocket

- 5 - Insert tracking device (tracking device not included) into pocket in basket.



## Calf Support

The calf support has 2 use positions.

**1** - To raise the calf support, lift up.

To lower the calf support, press the calf support adjustment buttons **(1)** and push the calf support down **(2)**.

**2** - Fully Recline the Stroller Seat

When using the stroller in full recline, the calf support must be fully raised and the closure flaps attached.

When fully reclined, pull the closure flaps located at the bottom of the calf support outwards.

Fasten the closure flaps securely to the corresponding snaps on stroller seat frame **(1)** then fasten snap to stroller seat pad **(2)**.

## Handle







The handle has 4 positions.

**3** - To adjust the height of the handle, pull the handle adjustment button **(1)** and pull the handle up or down **(2)**.

## Brake

**4** - To lock the rear wheels, step down on the brake lever.

**5** - To unlock the rear wheels, lift up on the brake lever.



## Front Swivel Locks

In Use Position:

It is recommended to use the front swivel locks on uneven surfaces.

- 1 - Pull the front swivel lock up to lock the front wheel (1). Push the front swivel lock down to unlock (2).

Fold Position:

Lock the wheels forward of the stroller frame before folding. This allows the stroller to stand on its own.






- 2 - With the front wheel forward of the stroller frame, pull the front swivel lock up (1) to lock the wheel and push down to unlock it (2).

## Fold

### With Seat Attached

The stroller can be folded with forward facing seat or rear facing seat or without the seat. Before folding the stroller, adjust the handle to the lowest locking position and lock the front swivel locks so stroller will stand.




- 3 - Fold the canopy.
- 4 - Press the folding release button (1) in the middle of the recline adjustment button and then lift the recline adjustment button (2).
- 5 - Fold the seat.



- 1 - Pull the folding webbing of the seat to fold the stroller.
- 2 - The stroller can stand with forward wheels swivel locked.

#### Without Seat Attached

- 3 - After removing the seat, press the folding buttons of the seat mounts.
  - 4 - Fold the stroller.
- ⚠ The stroller without seat can stand by handle and the front wheels.









# Accessories

## Car Seat Ring Adapter

Use the car seat ring adapter only with a Nuna PIPA™ series infant carrier in combination with a Nuna TRIV™ lx stroller.

See PIPA™ series instruction manual for proper usage of the infant carrier.

- 1 - To attach the car seat ring adapter, place the ring adapter on the seat mount. A “click” sound means the ring adapter is attached.
- 2 - To attach the infant carrier, place the infant carrier on the ring adapter. A “click” sound means the infant carrier is attached.
- ⚠ Pull up on the infant carrier to check that it is securely attached to the adapter and that the adapter is securely attached to the stroller.
- 3 - The ring adapter can be attached so that the infant carrier is rear facing or forward facing.
- 4 - To remove the infant carrier, squeeze the release button located on the back of the infant carrier (1) and lift up (2).
- ⚠ Remove the infant carrier before folding.
- 5 - To fold the stroller with the ring adapter attached, pull the adapter fold strap.
- 6 - To remove the ring adapter (with the stroller unfolded), push the adapter release buttons (1) and lift the adapter up (2).



## Cleaning and Maintenance

Refer to the care label attached to the fabric for washing and drying instructions.

Clean the frame, plastic parts, and fabric with a damp cloth, but do not use abrasives or bleach. Do not use silicon lubricants as they will attract dirt and grime. Do not store your stroller in a damp place.

Clean the stroller wheels regularly with water and remove any dirt.

To ensure long-lasting use, wipe off this product with a soft, absorbent cloth after using it in rainy weather.

It is normal for fabric to color from sunlight and to show wear and tear after a long period of use, even when used normally.

For reasons of safety, only use original Nuna parts.

Check regularly if everything functions properly. If any parts are torn, broken, or missing, stop using this product.





**Nuna Baby Essentials, Inc.**

70 Thousand Oaks Blvd. | Morgantown, PA 19543

1.855.NUNA.USA | [nunababy.com](http://nunababy.com)

**Nuna Canada**

2520 AV Marie-Curie | St-Laurent, QC, H4S 1N1

1-800-667-4111 | [www.nunababy.ca](http://www.nunababy.ca)